*Journal of Immunological Methods*, 135 (1990) 296–297
Elsevier

# Contents to volume 135 (1990)

**Numbers 1–2 – 31 December 1990**

*Announcement from the publisher* v

*Research reports*

Migration of $^{99m}$Tc-labelled syngeneic lymphocytes in the rat. Biological and theoretical models predict radiation damage and poor scintigraphic detectability
*H.B. Benestad, E. Sundrehagen and B.R.A. Skretting (Norway)* 1

A tube latex test based on colour separation for the detection of IgM antibodies to either one of two different microorganisms
*P.L. Lim and K.H. Ko (Hong Kong)* 9

Purification of immunotoxins containing the ribosome-inactivating proteins gelonin and momordin using high performance liquid immunoaffinity chromatography compared with Blue Sepharose CL-6B affinity chromatography
*A.J. Cumber, R.V. Henry, G.D. Parnell and E.J. Wawrzynczak (U.K.)* 15

Development of a simple, sensitive and specific bioassay for interleukin-1 based on the proliferation of RPMI 1788 cells. Comparison with other bioassays for IL-1
*P. Vandenabeele, W. Declercq, C. Libert and W. Fiers (Belgium)* 25

A heterogeneous immunoassay performed on a rotating carbon disk electrode with electrocatalytic detection. Mass transfer control of the capture of an enterotoxin
*D. Huet, C. Gyss and C. Bourdillon (France)* 33

A single laser flow cytometry method to evaluate the binding of three antibodies
*D. Maurer, T. Felzmann and W. Knapp (Austria)* 43

Measurement of anti-influenza neuraminidase antibody using a peroxidase-linked lectin and microtitre plates coated with natural substrates
*C.R. Lambré, H. Terzidis, A. Greffard and R.G. Webster (France, U.S.A.)* 49

Detection of surface and cytoplasmic CD4 on blood monocytes from normal and HIV-1 infected individuals
*L.G. Filion, C.A. Izaguirre, G.E. Garber, L. Huebsh and M.T. Aye (Canada)* 59

A rapid objective immunofluorescence microassay. Application for detection of surface and intracellular antigens
*L. Pitzurra, E. Blasi, A. Bartoli, P. Marconi and F. Bistoni (Italy)* 71

Quantitation of protein A in human plasma is possible after heat inactivation of the samples
*R. Nilsson and B. Davidsson (Sweden)* 77

A simple and sensitive flow cytometric assay for the determination of the cytotoxic activity of human natural killer cells
*K. Radošević, H.S.P. Garritsen, M. Van Graft, B.G. De Grooth and J. Greve (The Netherlands)* 81

Enhanced efficiency of cell hybridization by neuraminidase treatment
*M. Igarashi and Y. Bando (Japan)* 91

Effect of anticoagulants and heat on the detection of tumor necrosis factor in murine blood
*P.A. Holobaugh and D.C. McChesney (U.S.A.)* 95

Preparation of proteosome-based vaccines. Correlation of immunogenicity with physical characteristics
*C.L. Ruegg, R.I. Jaffe, B. Köster, J.C. Sadoff, W.D. Zollinger, G.H. Lowell and M. Strand (U.S.A.)* 101

Immunological agglutination kinetics of latex particles with physically adsorbed antigens
*A. Kondo, T. Kawano, F. Itoh and K. Higashitani (Japan)* 111

An ELISA employing a *Haemophilus influenzae* type b oligosaccharide-human serum albumin conjugate correlates with the radioantigen binding assay
*D.C. Phipps, J. West, R. Eby, M. Koster, D.V. Madore and S.A. Quataert (U.S.A.)* 121

Enumeration of antigen-specific IgE responses at the single-cell level by an ELISA plaque assay
*S.-S. Chen (U.S.A.)* 129

The specific blocking of an IgG dependent erythrophagocytosis assay by protein G and ELISA determination of in situ bound IgG on erythrocytes of normal donors
*E. Sheiban and H. Gershon (Israel)* 139

A method for preparing biologically active aqueous cyclosporin A solutions avoiding the use of detergents or organic solvents
*E. Yonish-Rouach, M. Shinitzky and M. Rubinstein (Israel)* 147

A novel flow cytometric method for measuring protein digestion within the phagocytic vacuole of polymorphonuclear neutrophils
*A.P. Haynes, J. Fletcher, M. Garnett and A. Robins (U.K.)* 155

A new enzymatic assay for evaluating the clearance of immune complexes from the circulation of mice
*T. Matsumoto, M. Tanaka, K. Iijima and J.-C. Cyong (Japan)* 163

0022-1759/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Antibody response in immunized rabbits measured with bacterial immunoglobulin-binding proteins
*M.I. Elbashir, B.H.K. Nilson, P. Åkesson, L. Björck and B. Åkerström (Sweden)* 171
A simplified cellular ELISA (CELISA) for the detection of antibodies reacting with cell-surface antigens
*B. Arunachalam, G.P. Talwar and R. Raghupathy (India)* 181
A continuous flow immunoassay for rapid and sensitive detection of small molecules
*A.W. Kusterbeck, G.A. Wemhoff, P.T. Charles, D.A. Yeager, R. Bredehorst, C.-W. Vogel and F.S. Ligler (U.S.A.)* 191
Immunologic methods for quantitative estimation of small peptides and their application to bradykinin
*K.R. Anumula, R. Schulz and N. Back (U.S.A.)* 199
A rapid method for genotyping mice for T cell receptor $V_\beta^a$ and $V_\beta^b$ haplotypes by PCR analysis of whole blood
*D.G. Spinella (U.S.A.)* 209
An improved in vitro assay to quantitate chemotaxis of rat peripheral blood large granular lymphocytes (LGL)
*A.M. Pilaro, T.J. Sayers, K.L. McCormick, C.W. Reynolds and R.H. Wiltrout (U.S.A.)* 213
Detection of circulating immune complexes with polyethylene glycol precipitation $F(ab')_2$ anti-$C_3$ ELISA
*R.-j. Xu and Y. Gu (China)* 225
Purification and photoaffinity labeling of the I-$A^k$ histocompatibility molecule
*I.F. Luescher and E.R. Unanue (U.S.A.)* 233
Detection by immunofluorescence of surface molecules present in low copy numbers. High sensitivity staining and calibration of flow cytometer
*H. Zola, S.H. Neoh, B.X. Mantzioris, J. Webster and M.S. Loughnan (Australia)* 247
A one-step two-particle latex immunoassay for the detection of *Salmonella typhi* endotoxin
*P.-L. Lim (Hong Kong)* 257
Preferential generation of IgG-producing human hybridomas against human tumor cells
*H. Hagiwara and J. Nagao (Japan)* 263

*Technical note*
An ELISA procedure for the determination of protein G-binding antibodies
*A. Larsson (Sweden)* 273

*Short communication*
The use of tetramethylbenzidine for solid phase immunoassays
*J.L. McKimm-Breschkin (Australia)* 277

*Letters to the editors*
Which method for the assessment of spreading of polymorphonuclear leukocytes?
*S.D. Rogers and L.P. Bignold (Australia)* 281
The safety and utility of leukapheresis of normal donors for obtaining products for immunologic research
*P.A. English, V.L. DeSmith, E.P. Yancey, T.V. Ringer and M.E. Sanders (U.S.A.)* 285
Novel and rapid immunofiltration assays with enhanced chemiluminescence detection
*J.K. Horton, J.E. James, S. Swinburne and M.J. O'Sullivan (U.K.)* 289

*Book reviews* 293

*Announcement* 295

*Contents to volume 135 (1990)* 296

*Notes to authors* 298